

500 KM INSPECTION		CHECKED
Hitch	Check hitch bolts to 95Nm.	
	Lubricate with high temp bearing grease where	
	necessary.	
Handbrake	Inspect and adjust handbrake as needed.	
Brakes	Check brakes are operating as per normal behind	
	your tow vehicle and have bedded in properly.	
Wheel Nuts	Inspect condition and torque to 135Nm.	
Tyres	Inspect for abnormal wear and damage.	
General Observation	General inspection to ensure no loose fixings or	
	fittings. Advise Signature Campers of any	
	observations.	
DATE:	SERVICE PERSON:	
WORKSHOP STAMP:		



6 MONTHS / 5000 KM SERVICE		CHECKED
Hitch	Check hitch bolts to 95Nm. Lubricate coupling if	
	necessary.	
Safety chains, Jockey wheel	Check safety chains, jockey wheel and stabiliser legs	
and Stabilisers	for safe operation.	
Handbrake	Inspect and adjust handbrake as needed.	
Brakes and Bearings	Inspect and adjust brakes as they need to bed in. Check bearings are greased and castle nut tensioned correctly.	
Swing Arms	Lubricate and check bushes for excessive	
	movement. Torque bolts to 135Nm.	
Brakes	Inspect and adjust. Check lining thickness and drum wear.	
Wheel Bearings	Remove, clean and re-grease. Inspect for wear and replace if necessary.	
Wheel Nuts	Inspect condition and torque to 135Nm.	
Tyres and Rims	Inspect for abnormal wear and damage. Set to correct PSI if necessary. Check Compliance plate.	
Lights	Check all lights are functioning.	
Battery	Check terminals and voltage.	
Seals	Check seal condition and latch tension to 30-40% compression on automotive seal.	
General Observation and	General inspection to ensure no loose fixings or	
Lubrication	fittings. Grease all accessible grease points. Advise Signature Campers of any observations.	
DATE:	SERVICE PERSON:	
WORKSHOP STAMP:		



18 MONTHS / 15000 KM SERVICE		CHECKED
Hitch	Check hitch bolts to 95Nm. Lubricate coupling if necessary.	
Safety chains, Jockey wheel	Check safety chains, jockey wheel and stabiliser legs	
and Stabilisers	for safe operation.	
Handbrake	Inspect and adjust handbrake as needed.	
Brakes and Bearings	Inspect and adjust brakes as they need to bed in. Check bearings are greased and castle nut tensioned correctly.	
Swing Arms	Lubricate and check bushes for excessive movement. Torque bolts to 135Nm.	
Brakes	Inspect and adjust. Check lining thickness and drum wear.	
Wheel Bearings	Remove, clean and re-grease. Inspect for wear and replace if necessary.	
Wheel Nuts	Inspect condition and torque to 135Nm.	
Tyres and Rims	Inspect for abnormal wear and damage. Set to correct PSI if necessary. Check Compliance plate.	
Lights	Check all lights are functioning.	
Battery	Check terminals and voltage.	
Seals	Check seal condition and latch tension to 30-40% compression on automotive seal.	
General Observation and	General inspection to ensure no loose fixings or	
Lubrication	fittings. Grease all accessible grease points. Advise Signature Campers of any observations.	
DATE:	SERVICE PERSON:	
WORKSHOP STAMP:		



30 MONTHS / 25000 KM SERVICE		CHECKED
Hitch	Check hitch bolts to 95Nm. Lubricate coupling if necessary.	
Safety chains, Jockey wheel	Check safety chains, jockey wheel and stabiliser legs	
and Stabilisers	for safe operation.	
Handbrake	Inspect and adjust handbrake as needed.	
Brakes and Bearings	Inspect and adjust brakes as they need to bed in.	
G	Check bearings are greased and castle nut tensioned correctly.	
Swing Arms	Lubricate and check bushes for excessive	
	movement. Torque bolts to 135Nm.	
Brakes	Inspect and adjust. Check lining thickness and drum	
	wear.	
Wheel Bearings	Remove, clean and re-grease. Inspect for wear and	
	replace if necessary.	
Wheel Nuts	Inspect condition and torque to 135Nm.	
Tyres and Rims	Inspect for abnormal wear and damage. Set to	
	correct PSI if necessary. Check Compliance plate.	
Lights	Check all lights are functioning.	
Battery	Check terminals and voltage.	
Seals	Check seal condition and latch tension to 30-40%	
	compression on automotive seal.	
General Observation and	General inspection to ensure no loose fixings or	
Lubrication	fittings. Grease all accessible grease points. Advise	
	Signature Campers of any observations.	
DATE:	SERVICE PERSON:	
WORKSHOP STAMP:	•	



42 MONTHS / 35000 KM SERVICE		CHECKE
Hitch	Check hitch bolts to 95Nm. Lubricate coupling if necessary.	
Safety chains, Jockey wheel	Check safety chains, jockey wheel and stabiliser legs	
and Stabilisers	for safe operation.	
Handbrake	Inspect and adjust handbrake as needed.	
Brakes and Bearings	Inspect and adjust brakes as they need to bed in. Check bearings are greased and castle nut tensioned correctly.	
Swing Arms	Lubricate and check bushes for excessive movement. Torque bolts to 135Nm.	
Brakes	Inspect and adjust. Check lining thickness and drum wear.	
Wheel Bearings	Remove, clean and re-grease. Inspect for wear and replace if necessary.	
Wheel Nuts	Inspect condition and torque to 135Nm.	
Tyres and Rims	Inspect for abnormal wear and damage. Set to correct PSI if necessary. Check Compliance plate.	
Lights	Check all lights are functioning.	
Battery	Check terminals and voltage.	
Seals	Check seal condition and latch tension to 30-40% compression on automotive seal.	
General Observation and	General inspection to ensure no loose fixings or	
Lubrication	fittings. Grease all accessible grease points. Advise Signature Campers of any observations.	
DATE:	SERVICE PERSON:	
WORKSHOP STAMP:		



	CHECKE
Check hitch bolts to 95Nm. Lubricate coupling if necessary.	
Check safety chains, jockey wheel and stabiliser legs	
for safe operation.	
Inspect and adjust handbrake as needed.	
Inspect and adjust brakes as they need to bed in. Check bearings are greased and castle nut tensioned correctly.	
Lubricate and check bushes for excessive movement. Torque bolts to 135Nm.	
Inspect and adjust. Check lining thickness and drum wear.	
Remove, clean and re-grease. Inspect for wear and replace if necessary.	
Inspect condition and torque to 135Nm.	
Inspect for abnormal wear and damage. Set to correct PSI if necessary. Check Compliance plate.	
Check all lights are functioning.	
Check terminals and voltage.	
Check seal condition and latch tension to 30-40% compression on automotive seal.	
General inspection to ensure no loose fixings or	
fittings. Grease all accessible grease points. Advise Signature Campers of any observations.	
SERVICE PERSON:	
	necessary. Check safety chains, jockey wheel and stabiliser legs for safe operation. Inspect and adjust handbrake as needed. Inspect and adjust brakes as they need to bed in. Check bearings are greased and castle nut tensioned correctly. Lubricate and check bushes for excessive movement. Torque bolts to 135Nm. Inspect and adjust. Check lining thickness and drum wear. Remove, clean and re-grease. Inspect for wear and replace if necessary. Inspect condition and torque to 135Nm. Inspect for abnormal wear and damage. Set to correct PSI if necessary. Check Compliance plate. Check all lights are functioning. Check terminals and voltage. Check seal condition and latch tension to 30-40% compression on automotive seal. General inspection to ensure no loose fixings or fittings. Grease all accessible grease points. Advise Signature Campers of any observations.